

WATER HARVESTING SYSTEM REFER TO 705 04 EXTENT OF MULCH RING

TRUNK CENTRALLY LOCATED MULCH 100mm CLEAR OF TRUNK

ROOTBALL EXTENT BELOW GROUND


HARDWOOD STAKES TO BE INSTALLED **OUTSIDE ROOTBALL AREA**

FLEXIBLE RUBBER TIES IN FIGURE EIGHT PATTERN

WATERING RING BELOW 100mm AGRICULTURAL PIPE WRAPPED IN GEOFABRIC

ADJACENT SURFACE VARIES MULCH OR TURF

PLAN VIEW



2 x 75mm x 2500mm STAKE MIN 850mm BELOW FINISHED GROUND LEVEL

TREE TO BE SECURED BY A FLEXIBLE RUBBER TIE (OR SIMILAR APPROVED) IN A LOOSE FIGURE EIGHT STYLE. TIES TO BE INSTALLED AT HEIGHT 1/3rd OF THE TREE HEIGHT. CLEAR OF ANY BRANCHES OR LEAVES

ADJACENT SURFACE FINISH VARIES, TURF OR MULCH MAKE GOOD ANY DAMAGE TO TURF OR GARDEN BEDS

ORGANIC MULCH MIN 100mm THICK KEEP MULCH MIN 100mm CLEAR OF TRUNK FLUSH WITH ADJACENT SURFACE LEVEL.

IMPORTED SOIL MIX DASH LINES INDICATE SOIL TO BE INSTALLED IN LAYERS AND LIGHTLY COMPACTED BY HAND TO PREVENT SUBSIDANCE

Ø65mm RISER PVC PIPE FOR AERATION AND FLUSHING

CULTIVATE IMPORTED SOIL INTO EXISTING **SUBGRADE**

SECTION VIEW

- NOTES

 1. TO BE READ IN CONJUNCTION WITH THE STREET TREE SPECIFICATION AND ALL OTHER DETAILS IN THIS BOOK 700.

 1. TO BE READ IN CONJUNCTION WITH THE STREET TREE SPECIFICATION AND ALL OTHER DETAILS IN THIS BOOK 700.
 - 2. THIS DETAIL IS TO BE UTLISED IN ALL SOFTSCAPE STREET TREE INSTALLATIONS.
- 3. GENERALLY, TREES TO BE ALIGNED WITH EXISTING TREES OR CENTRALLY IN SOFT VERGE UNLESS OTHERWISE SHOWN ON THE LANDSCAPE DRAWINGS
- 4. ALL ROAD BASE, ROCK, DEBRIS AND RUBBISH TO BE REMOVED FROM TREE PIT PRIOR TO BACKFILLING.



DISCLAIMER:
THIS DOCUMENT HAS BEEN PREPARED BY THE CITY OF PERTH AND IS SUBJECT TO CHANGE. IT IS THE
RESPONSIBILITY OF THE USER TO ENSURE THAT THAT DESIGN AND CONSTRUCTION NOTE HAS NO FURTHER
REVISIONS BY CHECKING https://perth.wa.gov.au/en/building-and-planning/building-and-works/building-and-construction-notes