

### **DESIGN & CONSTRUCTION NOTES**

**BOOK 900** 

# **BANNERS AND FLAGS SPECIFICATIONS**



REV	DATE	AMENDMENT
3.2	23/01/2024	REVIEWED, UPDATED AND RE-ISSUED FOR USE
3.3	08/03/2024	REVIEWED, UPDATED AND RE-ISSUED FOR USE

DISCLAIMER:

DISCLAMENT HAS BEEN PREPARED BY THE CITY OF PERTH AND IS SUBJECT TO CHANGE. IT IS THE RESPONSIBILITY OF THE USER TO ENSURE THAT DESIGN AND CONSTRUCTION NOTE HAS NO FURTHER REVISIONS BY CHECKING https://perth.wa.gov.au/en/building-and-construction-notes

A4

# DESIGN & CONSTRUCTION NOTE

### **INDEX**

**BANNERS & FLAGS** 



### **INDEX**

900.00 900.01 900.02	COVER PAGE INDEX GENERAL NOTES
901.01	LARGE FABRIC BANNER - TYPE 1
901.02	LARGE FABRIC BANNER - TYPE 2
901.03	MEDIUM FABRIC BANNER
901.04	FABRIC FLAG
901.05	SMALL DOUBLE SIDED VINYL BANNER
901.06	DOUBLE SIDED VINYL BANNER - TYPE 1
901.07	DOUBLE SIDED VINYL BANNER - TYPE 2
901.08	TRIANGULAR VINYL BANNER
901.09	STREET-WIDE VINYL BANNER



# DESIGN & CONSTRUCTION NOTE GENERAL NOTES

**BANNERS & FLAGS** 



- 1. Fabric Banners and Flags: we recommend using a heavy weight trilobal cloth. Printing on trilobal, ink may need to be tested and set to penetrate the cloth material.
- 2. Vinyl Banners: must use a heavy duty vinyl material, to guard against strong winds.
- 3. All banners and flags: must be produced to withstand wind speeds of a minimum 110 km/h.
- 4. Printing should be run at a high pass.
- 5. All banners and flags must include a Design Reference/Site Key, including the relevant site code and design number (where 2 or more designs are in use), in the top left corner of the each banner and flag.
- 6. It is recommended to produce 1-3 spares per site, excluding S1: 901.09 Street-Wide Vinyl Banner.
- 7. Fabric Banners and Flags: folded in groups of 4, with the Design Reference/Site Key at the top.
- 8. Vinyl Banners: rolled individually or up-to 4 per roll, with the Design Reference/Site Key at the top.
- 9. Refer to the City of Perth Banner and Flag Hire Guidelines for further information.



A4

### LARGE FABRIC BANNER - TYPE 1


**BANNERS & FLAGS** 


DRAWING NO


A4

### THESE BANNERS ARE USED IN THE FOLLOWING LOCATIONS:

- T1 26 BANNERS ON ST GEORGES TCE
- T2 16 BANNERS ON ST GEORGES TCE
- T3 28 BANNERS ON ST GEORGES TCE
- T4 38 BANNERS ON ADELAIDE TCE
- T5 16 BANNERS ON ADELAIDE TCE
- T7 10 BANNERS ON ADELAIDE TCE
- M3 12 BANNERS IN FORREST PLACE
- W1 10 BANNERS ON WELLINGTON ST
- W2 22 BANNERS ON WELLINGTON ST
- R2.5 8 BANNERS ON ROE ST







- Tape loops must be attached to resist tensile loads of 50kg ea.
- Webbing material to be high density polyester webbing 25x3.0mm
- All dimensions to tape loops are to the centre of tape loop attachment.
- For General Notes refer Design and Construction Note 900.01.





### LARGE FABRIC BANNER - TYPE 2

**BANNERS & FLAGS** 

THESE BANNERS ARE USED IN THE **FOLLOWING LOCATIONS:** 

E1 - 4 BANNERS ON WILLIAM ST T6 - 9 BANNERS ON ADELAIDE TCE W3 - 5 BANNERS ON WELLINGTON ST






### **DETAIL 2**

### Notes:

- Tape loops must be attached to resist tensile loads of 50kg ea.
- Webbing material to be high density polyester webbing 25x3.0mm
- All dimensions to tape loops are to the centre of tape loop attachment.
- For General Notes refer Design and Construction Note 900.01.








DISCLAIMER:
THIS DOCUMENT HAS BEEN PREPARED BY THE CITY OF PERTH AND IS SUBJECT TO CHANGE. IT IS THE
RESPONSIBILITY OF THE USER TO ENSURE THAT DESIGN AND CONSTRUCTION NOTE HAS NO FURTHER REVISIONS
BY CHECKING https://perth.wa.gov.au/en/building-and-planning/building-and-works/building-and-construction-notes

THESE BANNERS ARE USED IN THE **FOLLOWING LOCATIONS:** 

K1 - 42 BANNERS ON KINGS PARK RD










THESE FLAGS ARE USED IN THE **FOLLOWING LOCATIONS:** 


F1 - 13 FLAGS ON KINGS PARK RD

F2 - 14 FLAGS ON MOUNTS BAY RD

F3 - 7 FLAGS ON CAUSEWAY



### FLAG FRONT VIEW



- Provide 2x sister clips for mounting flags on to poles.
- For General Notes refer Design and Construction Note 900.01.



### SMALL DOUBLE SIDED VINYL BANNER

**BANNERS & FLAGS** 

A4

THESE BANNERS ARE USED ON FOOTPATHS IN THE FOLLOWING LOCATIONS:


H1 - 10 BANNERS ON HAY ST


T2.5 - 10 BANNERS ON ADELAIDE TCE

R1 - 17 BANNERS ON ROE ST

R2 - 6 BANNERS ON ROE ST

R3 - 24 BANNERS ON ROE ST






### **DETAIL 2**

#### Notes:

- Tape loops must be attached to resist tensile loads of 50kg ea.
- Webbing material to be high density polyester webbing 25x3.0mm
- All dimensions to tape loops are to the centre of tape loop attachment.
- For General Notes refer Design and Construction Note 900.01.



### FRONT VIEW




THESE BANNERS ARE USED IN THE **FOLLOWING LOCATIONS:** 

M1 - 32 BANNERS ON HAY ST MALL


M2 - 16 BANNERS ON MURRAY ST MALL

M4 - 12 BANNERS ON WILLIAM ST

A1 - 4 BANNERS ON ABERDEEN ST



**DETAIL 1** REINFORCED CORNER



**FRONT VIEW** 

- Anchor bolt rope tape must be 10mm to fit banner attachment.
- For General Notes refer Design and Construction Note 900.02.




# DOUBLE SIDED VINYL BANNER - TYPE 2


**BANNERS & FLAGS** 

DRAWING NO

THESE BANNERS ARE USED IN THE FOLLOWING LOCATIONS:

H2 - 12 BANNERS ON HAMPDEN ROAD





#### Notes:

For General Notes refer Design and Construction Note 900.02.

HAMPDEN ROAD **BANNER POLE** 



DISCLAIMER:
THIS DOCUMENT HAS BEEN PREPARED BY THE CITY OF PERTH AND IS SUBJECT TO CHANGE. IT IS THE
RESPONSIBILITY OF THE USER TO ENSURE THAT DESIGN AND CONSTRUCTION NOTE HAS NO FURTHER REVISIONS
BY CHECKING https://perth.wa.gov.au/en/building-and-planning/building-and-works/building-and-construction-notes


## DESIGN & CONSTRUCTION NOTE TRIANGULAR VINYL BANNER

**BANNERS & FLAGS** 

DRAWING NO

THESE BANNERS ARE USED IN THE **FOLLOWING LOCATIONS:** 

N1 - 7 BANNERS ON JAMES ST



### **FRONT VIEW**

#### Notes:

- The poles at the existing locations are 10.2m high.
- For General Notes refer Design and Construction Note 900.02.




FOLDER: \\cop.org\cAD\5 CATA\Desi


A4

THESE BANNERS ARE USED IN THE FOLLOWING LOCATIONS:

S1 - 1 BANNER ON JAMES ST



### **FRONT VIEW**



- 1. Distance between poles at S2=13.25m
- 2. For General Notes refer Design and Construction Note 900.02.

